

APPROVED BY	D.G. FIG.
DRAFTSMAN	CLASS SUBCLASS
424	422

1 / 8




FIGURE 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	424	422

2 / 8




FIGURE 2

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	Ldy	422

3 / 8

AVERAGE RELEASE RATE
10% wt/wt SPRAY DRIED LYSOZYME
IN SUSPENSION VEHICLES




FIGURE 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	424	422

4 / 8




FIGURE 4

APPROVED	O.G. FIG.
BY	
DRAFTSMAN	424
	422

5 / 8

AVERAGE RELEASE RATE PROFILE FOR 10% LYSOZYME IN LA/PVP (40/60)
TARGET = 150 $\mu\text{g}/\text{day}$




FIGURE 5

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	424	422

6 / 8

25% LOADED PARTICLES IN GML:LL:PVP VEHICLE
RELEASE RATE ($\mu\text{g}/\text{day}$), $n=5$




FIGURE 6

APPROVED O.G. FIG.
BY CLASS SUBCLASS
RAFTSMAN 424 422

1 / 8

33% PARTICLES LOADED VEHICLE GML:LL:PVP
RELEASE RATE ($\mu\text{g}/\text{day}$), n=4




FIGURE 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
CRAFTSMAN	424	422

**45% LOADED PARTICLES IN GML:LL:PVP VEHICLE
RELEASE RATE ($\mu\text{g}/\text{day}$), n=4**




FIGURE 8